

Daily Activity Report

07/26/2019 00:00:00 Through 07/26/2019 23:59:59

Highlighting elapsed times greater than 60 minutes

INCLUDED ON THIS REPORT:

Organization(s): ALL

Scan Types: ALL

Classifications: ALL

Officers: Everyone

REPORT TOTAL

STATISTICS:

Total Number of Scans: 145

SCAN TYPE	COUNT	CLASSIFICATION	COUNT	OFFICER	COUNT
Location	134	Important	2	James Smith	47
Officer	11	Normal	143	Alice Jones	98

Hubbell Lighting Inc

STATISTICS:

Total Number of Scans: 145

SCAN TYPE	COUNT	CLASSIFICATION	COUNT	OFFICER	COUNT
Location	134	Important	2	James Smith	47
Officer	11	Normal	143	Alice Jones	98



Daily Activity Report

07/26/2019 00:00:00 Through 07/26/2019 23:59:59

Highlighting elapsed times greater than 60 minutes

Hubbell Lighting Inc

Date	Time	Elapsed	Officer	Scan Type	Description	Scanned At
07/26/19	01:01:32		Alice Jones	Officer		Lat:34.81852 Lon:-82.31947
	01:05:26	00:03:53		Location	Exterior Light pole 11, Fleet car area	Lat:34.81870 Lon:-82.31847
	01:08:09	00:02:43		Location	Exterior/Model Shop Exit	Lat:34.81781 Lon:-82.31973
	01:09:57	00:01:47		Location	Exterior pole 65 near connex	Lat:34.81762 Lon:-82.32094
	01:28:50	00:18:53		Location	Exterior/Main Lobby Entry	(not available)
	01:29:17	00:00:26		Location	Exterior/Employee Double Door Exit	Lat:34.81826 Lon:-82.31958
	01:38:40	00:09:23		Location	1st floor AV Support room	Lat:34.81844 Lon:-82.31971
	01:39:32	00:00:51		Location	1st floor West LSC exterior exit double doors	Lat:34.81835 Lon:-82.31984
	01:40:00	00:00:28		Location	1st floor room 1136, LSC break room window	Lat:34.81838 Lon:-82.32024
	01:41:20	00:01:19		Location	1st floor LSC double glass door at bathroom	Lat:34.81838 Lon:-82.31968
	01:41:57	00:00:37		Location	1st floor # 2 stairwell	Lat:34.81819 Lon:-82.31974
	01:42:20	00:00:23		Location	1st floor server room, alarm box	Lat:34.81816 Lon:-82.31978
	01:49:21	00:07:00		Location	1st floor Model shop Mezz at I beam	Lat:34.81816 Lon:-82.31977
	01:50:45	00:01:24		Location	1st floor thermal lab at co2 fire extinguisher	Lat:34.81791 Lon:-82.31988
	01:52:24	00:01:38		Location	1st floor Shipping and Receiving	Lat:34.81787 Lon:-82.32031
	01:52:55	00:00:31		Location	1st floor Fire Pump Room on red box	Lat:34.81792 Lon:-82.32013



Daily Activity Report

07/26/2019 00:00:00 Through 07/26/2019 23:59:59

Highlighting elapsed times greater than 60 minutes

Hubbell Lighting Inc

Date	Time	Elapsed	Officer	Scan Type	Description	Scanned At
07/26/19	01:53:21	00:00:26	Alice Jones	Location	1st floor Electrical Room 1152	Lat:34.81791 Lon:-82.32014
	01:53:54	00:00:33		Location	1st floor Mechanical Room 1151	Lat:34.81798 Lon:-82.31969
	01:54:55	00:01:00		Location	1st floor Kitchen	Lat:34.81816 Lon:-82.32010
	01:58:50	00:03:55		Location	1st floor dining room to patio	Lat:34.81813 Lon:-82.32012
	02:00:43	00:01:52		Location	1st floor Mechanical room 1114	Lat:34.81820 Lon:-82.32018
	02:01:34	00:00:51		Location	1st floor Main Elevator	Lat:34.81830 Lon:-82.31980
07/26/19	02:02:05		Alice Jones	Officer		Lat:34.81826 Lon:-82.31995
	02:03:22	00:01:17		Location	5th floor at roll up on wall left side	Lat:34.81829 Lon:-82.31958
	02:04:21	00:00:59		Location	4th floor Break room between coffee makers	Lat:34.81818 Lon:-82.31966
	02:04:51	00:00:29		Location	4th floor Mechanical room 4114	Lat:34.81830 Lon:-82.31979
	02:05:33	00:00:41		Location	4 th floor Edison room at coffee maker	Lat:34.81824 Lon:-82.31971
	02:06:13	00:00:40		Location	4 th floor Clinic at bathroom door behind desk	Lat:34.81826 Lon:-82.31971
	02:06:58	00:00:44		Location	4th floor Executive Kitchen Rt of coffee maker	Lat:34.81863 Lon:-82.31940
	02:07:59	00:01:01		Location	4th floor Video Conference Lt of TV	Lat:34.81849 Lon:-82.31966
	02:08:34	00:00:35		Location	4th floor Franklin room Rt of TV	Lat:34.81848 Lon:-82.31966
	02:09:04	00:00:29		Location	4th floor HR room, 4206 office door	Lat:34.81837 Lon:-82.31984



Greenville Manufacturing Inc

Daily Activity Report

07/26/2019 00:00:00 Through 07/26/2019 23:59:59

Highlighting elapsed times greater than 60 minutes

Hubbell Lighting Inc

Date	Time	Elapsed	Officer	Scan Type	Description	Scanned At
07/26/19	02:10:19	00:01:14	Alice Jones	Location	4th floor Floor Balcony South Exit outside	Lat:34.81834 Lon:-82.31974
	02:11:11	00:00:52		Location	4 th floor Tesla Room Rt of TV	Lat:34.81833 Lon:-82.31983
07/26/19	02:12:44		Alice Jones	Officer		Lat:34.81847 Lon:-82.31989
	02:13:01	00:00:16		Location	3rd floor Breakroom	Lat:34.81838 Lon:-82.31965
	02:13:28	00:00:27		Location	3rd floor Mechanical and Electrical 3114	Lat:34.81836 Lon:-82.31967
	02:14:36	00:01:08		Location	3rd floor # 1 Stairwell	Lat:34.81818 Lon:-82.32014
	02:15:26	00:00:50		Location	3rd floor Phone Room 3113	Lat:34.81820 Lon:-82.32005
	02:16:52	00:01:26		Location	3rd floor # 3 stairwell	Lat:34.81857 Lon:-82.31952
	02:17:18	00:00:25		Location	3rd floor Tom Tower Training Room 3121	Lat:34.81864 Lon:-82.31973
07/26/19	02:18:25		Alice Jones	Officer		Lat:34.81825 Lon:-82.31983
	02:19:12	00:00:46		Location	2nd floor Floor Breakroom	Lat:34.81838 Lon:-82.31996
	02:19:37	00:00:25		Location	2nd floor Mechanical Room 2114	Lat:34.81823 Lon:-82.31969
	02:21:00	00:01:22		Location	2nd floor East Room 2119 on Fire Ext. Cabinet, near windows	Lat:34.81797 Lon:-82.31985
	02:33:58	00:12:58		Location	2nd floor Dual Lite Mechanical room 2171	Lat:34.81787 Lon:-82.32025
	02:34:46	00:00:48		Location	2nd floor at #1 stairwell	Lat:34.81804 Lon:-82.32005
	02:36:34	00:01:47		Location	2nd floor Mechanical Room 2198	Lat:34.81854 Lon:-82.31943



Daily Activity Report

07/26/2019 00:00:00 Through 07/26/2019 23:59:59

Highlighting elapsed times greater than 60 minutes

Hubbell Lighting Inc

Date	Time	Elapsed	Officer	Scan Type	Description	Scanned At
07/26/19	02:36:36		Alice Jones	Officer		Lat:34.81853 Lon:-82.31950
	03:10:05	00:33:29		Location	1st floor Kitchen	Lat:34.81811 Lon:-82.32017
07/26/19	04:02:12		Alice Jones	Officer		Lat:34.81853 Lon:-82.31950
	04:04:59	00:02:47		Location	Exterior Light pole 11, Fleet car area	Lat:34.81818 Lon:-82.31977
	04:07:35	00:02:35		Location	Exterior/Model Shop Exit	Lat:34.82227 Lon:-82.31246
	04:09:16	00:01:40		Location	Exterior pole 65 near connex	Lat:34.81787 Lon:-82.32016
	04:21:39	00:12:23		Location	Exterior/Main Lobby Entry	(not available)
	04:22:07	00:00:27		Location	Exterior/Employee Double Door Exit	Lat:34.81828 Lon:-82.31947
07/26/19	04:22:28		Alice Jones	Officer		Lat:34.81837 Lon:-82.31966
	04:24:02	00:01:33		Location	1st floor AV Support room	Lat:34.81844 Lon:-82.31971
	04:24:55	00:00:53		Location	1st floor West LSC exterior exit double doors	Lat:34.81843 Lon:-82.31960
	04:25:25	00:00:30		Location	1st floor room 1136, LSC break room window	
	04:26:45	00:01:19		Location	1st floor LSC double glass door at bathroom	Lat:34.81840 Lon:-82.31976
	04:27:25	00:00:40		Location	1st floor # 2 stairwell	Lat:34.81818 Lon:-82.31976
	04:27:54	00:00:28		Location	1st floor server room, alarm box	
	04:28:40	00:00:46		Location	1st floor Model shop Mezz at I beam	Lat:34.81816 Lon:-82.31977



Daily Activity Report

07/26/2019 00:00:00 Through 07/26/2019 23:59:59

Highlighting elapsed times greater than 60 minutes

Hubbell Lighting Inc

Date	Time	Elapsed	Officer	Scan Type	Description	Scanned At
07/26/19	04:30:11	00:01:30	Alice Jones	Location	1st floor thermal lab at co2 fire extinguisher	Lat:34.81840 Lon:-82.31967
	04:31:57	00:01:46		Location	1st floor Shipping and Receiving	Lat:34.81779 Lon:-82.32030
	04:32:32	00:00:34		Location	1st floor Fire Pump Room on red box	Lat:34.81779 Lon:-82.32025
	04:33:02	00:00:29		Location	1st floor Electrical Room 1152	Lat:34.81835 Lon:-82.31970
	04:33:36	00:00:33		Location	1st floor Mechanical Room 1151	Lat:34.81834 Lon:-82.31971
	04:34:45	00:01:09		Location	1st floor Kitchen	Lat:34.81811 Lon:-82.32011
	04:36:27	00:01:42		Location	1st floor dining room to patio	Lat:34.81833 Lon:-82.31972
	04:37:52	00:01:24		Location	1st floor Mechanical room 1114	Lat:34.81818 Lon:-82.32009
	04:38:35	00:00:43		Location	1st floor Main Elevator	Lat:34.81840 Lon:-82.31985
07/26/19	04:38:39		Alice Jones	Officer		
	04:40:27	00:01:47		Location	5th floor at roll up on wall left side	Lat:34.81829 Lon:-82.31959
	04:41:24	00:00:57		Location	4th floor Break room between coffee makers	Lat:34.81829 Lon:-82.31968
	04:41:50	00:00:25		Location	4th floor Mechanical room 4114	Lat:34.81822 Lon:-82.31988
	04:47:27	00:05:37		Location	4 th floor Clinic at bathroom door behind desk	Lat:34.81831 Lon:-82.31974
	04:48:05	00:00:38		Location	4th floor Executive Kitchen Rt of coffee maker	Lat:34.81864 Lon:-82.31940
	04:48:58	00:00:52		Location	4th floor Video Conference Lt of TV	Lat:34.81846 Lon:-82.31967



Daily Activity Report

07/26/2019 00:00:00 Through 07/26/2019 23:59:59

Highlighting elapsed times greater than 60 minutes

Hubbell Lighting Inc

Date	Time	Elapsed	Officer	Scan Type	Description	Scanned At
07/26/19	04:49:29	00:00:30	Alice Jones	Location	4th floor Franklin room Rt of TV	Lat:34.81849 Lon:-82.31968
	04:49:53	00:00:24		Location	4th floor HR room, 4206 office door	Lat:34.81839 Lon:-82.31978
	04:50:45	00:00:51		Location	4th floor Floor Balcony South Exit outside	Lat:34.81831 Lon:-82.31975
	04:51:25	00:00:40		Location	4 th floor Tesla Room Rt of TV	Lat:34.81806 Lon:-82.32009
07/26/19	04:52:33		Alice Jones	Officer		Lat:34.81802 Lon:-82.31987
	04:53:02	00:00:29		Location	3rd floor Breakroom	Lat:34.81785 Lon:-82.31931
	04:53:24	00:00:21		Location	3rd floor Mechanical and Electrical 3114	Lat:34.81810 Lon:-82.31955
	04:54:23	00:00:59		Location	3rd floor # 1 Stairwell	Lat:34.81816 Lon:-82.31996
	04:55:10	00:00:46		Location	3rd floor Phone Room 3113	Lat:34.81162 Lon:-82.31212
	04:56:17	00:01:07		Location	3rd floor # 3 stairwell	Lat:34.81851 Lon:-82.31950
	04:56:37	00:00:20		Location	3rd floor Tom Tower Training Room 3121	Lat:34.81866 Lon:-82.31938
07/26/19	04:57:42		Alice Jones	Officer		Lat:34.81834 Lon:-82.31965
	04:58:10	00:00:28		Location	2nd floor Floor Breakroom	Lat:34.81827 Lon:-82.31970
	04:58:33	00:00:22		Location	2nd floor Mechanical Room 2114	Lat:34.81827 Lon:-82.31984
	04:59:43	00:01:09		Location	2nd floor East Room 2119 on Fire Ext. Cabinet, near windows	Lat:34.81798 Lon:-82.31986
	05:01:06	00:01:23		Location	2nd floor Dual Lite Mechanical room 2171	Lat:34.81801 Lon:-82.32039



Daily Activity Report

07/26/2019 00:00:00 Through 07/26/2019 23:59:59

Highlighting elapsed times greater than 60 minutes

Hubbell Lighting Inc

Date	Time	Elapsed	Officer	Scan Type	Description	Scanned At
07/26/19	05:02:41	00:01:34	Alice Jones	Location	2nd floor at #1 stairwell	Lat:34.81799 Lon:-82.32036
	05:04:37	00:01:56		Location	2nd floor Mechanical Room 2198	Lat:34.81853 Lon:-82.31936
07/26/19	18:53:42		James Smith	Officer		Lat:34.81843 Lon:-82.31963
	18:53:45	00:00:03		Location	Exterior Light pole 11, Fleet car area	Lat:34.81866 Lon:-82.31834
	18:59:42	00:05:56		Location	Exterior pole 65 near connex	Lat:34.81780 Lon:-82.32029
	19:02:32	00:02:49		Location	Exterior/Main Lobby Entry	Lat:34.81836 Lon:-82.31876
	19:02:53	00:00:21		Location	Exterior/Employee Double Door Exit	Lat:34.81820 Lon:-82.31950
	19:04:04	00:01:10		Location	1st floor Model shop Mezz at I beam	Lat:34.81816 Lon:-82.31977
	19:04:38	00:00:34		Location	1st floor server room, alarm box	Lat:34.81816 Lon:-82.31978
	19:05:13	00:00:34		Location	1st floor thermal lab at co2 fire extinguisher	Lat:34.81802 Lon:-82.31984
	19:05:47	00:00:33		Location	Exterior/Model Shop Exit	Lat:34.81787 Lon:-82.31992
	19:07:19	00:01:32		Location	1st floor Shipping and Receiving	Lat:34.81768 Lon:-82.32029
	19:07:47	00:00:27		Location	1st floor Fire Pump Room on red box	Lat:34.81764 Lon:-82.32053
	19:08:08	00:00:21		Location	1st floor Electrical Room 1152	Lat:34.81791 Lon:-82.32014
	19:08:34	00:00:26		Location	1st floor Mechanical Room 1151	Lat:34.81795 Lon:-82.32010
	19:09:38	00:01:03		Location	1st floor Kitchen	Lat:34.81811 Lon:-82.32013



Daily Activity Report

07/26/2019 00:00:00 Through 07/26/2019 23:59:59

Highlighting elapsed times greater than 60 minutes

Hubbell Lighting Inc

Date	Time	Elapsed	Officer	Scan Type	Description	Scanned At
07/26/19	19:10:21	00:00:42	James Smith	Location	1st floor dining room to patio	Lat:34.81818 Lon:-82.32001
	19:11:00	00:00:39		Location	1st floor Mechanical room 1114	Lat:34.81835 Lon:-82.31995
	19:12:04	00:01:03		Location	1st floor room 1136, LSC break room window	Lat:34.81843 Lon:-82.31987
	19:12:25	00:00:21		Location	1st floor West LSC exterior exit double doors	Lat:34.81830 Lon:-82.31979
	19:12:59	00:00:33		Location	valve 19	Lat:34.81837 Lon:-82.31984
	19:13:22	00:00:23		Location	1st floor LSC double glass door at bathroom	Lat:34.81842 Lon:-82.31970
	19:14:10	00:00:48		Location	1st floor AV Support room	Lat:34.81843 Lon:-82.31979
	19:15:05	00:00:54		Location	valve18	Lat:34.81854 Lon:-82.31963
	19:16:38	00:01:32		Location	1st floor Main Elevator	Lat:34.81820 Lon:-82.31969
	19:17:51	00:01:13		Location	5th floor at roll up on wall left side	Lat:34.81812 Lon:-82.31962
	19:18:32	00:00:41		Location	4th floor Break room between coffee makers	Lat:34.81814 Lon:-82.31962
	19:18:56	00:00:23		Location	4th floor Mechanical room 4114	Lat:34.81833 Lon:-82.31985
	19:19:37	00:00:40		Location	4 th floor Tesla Room Rt of TV	Lat:34.81804 Lon:-82.32009
	19:20:45	00:01:08		Location	4th floor Floor Balcony South Exit outside	Lat:34.81806 Lon:-82.32021
	19:21:38	00:00:52		Location	4th floor HR room, 4206 office door	Lat:34.81821 Lon:-82.31991
	19:22:09	00:00:30		Location	4th floor Franklin room Rt of TV	Lat:34.81840 Lon:-82.31980



Daily Activity Report

07/26/2019 00:00:00 Through 07/26/2019 23:59:59

Highlighting elapsed times greater than 60 minutes

Hubbell Lighting Inc

Date	Time	Elapsed	Officer	Scan Type	Description	Scanned At
07/26/19	19:23:11	00:01:02	James Smith	Location	4th floor Executive Kitchen Rt of coffee maker	Lat:34.81819 Lon:-82.32011
	19:23:47	00:00:35		Location	4 th floor Clinic at bathroom door behind desk	Lat:34.81864 Lon:-82.31940
	19:24:17	00:00:29		Location	4 th floor Edison room at coffee maker	Lat:34.81824 Lon:-82.32007
	19:25:04	00:00:47		Location	4th floor Video Conference Lt of TV	Lat:34.81827 Lon:-82.32003
	19:26:23	00:01:18		Location	3rd floor Breakroom	Lat:34.81839 Lon:-82.31965
	19:26:41	00:00:17		Location	3rd floor Mechanical and Electrical 3114	Lat:34.81830 Lon:-82.31999
	19:27:35	00:00:54		Location	3rd floor # 1 Stairwell	Lat:34.81830 Lon:-82.31997
	19:28:20	00:00:45		Location	3rd floor Phone Room 3113	Lat:34.81836 Lon:-82.31993
	19:29:07	00:00:46		Location	3rd floor # 3 stairwell	Lat:34.81847 Lon:-82.31967
	19:29:22	00:00:15		Location	3rd floor Tom Tower Training Room 3121	Lat:34.81862 Lon:-82.31955
	19:30:51	00:01:29		Location	2nd floor Floor Breakroom	Lat:34.81827 Lon:-82.31984
	19:31:13	00:00:21		Location	2nd floor Mechanical Room 2114	Lat:34.81826 Lon:-82.31982
	19:32:10	00:00:56		Location	2nd floor East Room 2119 on Fire Ext. Cabinet, near windows	Lat:34.81832 Lon:-82.31993
	19:34:04	00:01:54		Location	2nd floor Dual Lite Mechanical room 2171	Lat:34.81778 Lon:-82.32033
	19:34:46	00:00:42		Location	2nd floor at #1 stairwell	Lat:34.81817 Lon:-82.32018
	19:36:23	00:01:36		Location	2nd floor Mechanical Room 2198	Lat:34.81854 Lon:-82.31957



Greenville Manufacturing Inc

Daily Activity Report

07/26/2019 00:00:00 Through 07/26/2019 23:59:59

Highlighting elapsed times greater than 60 minutes

Hubbell Lighting Inc

Date	Time	Elapsed	Officer	Scan Type	Description	Scanned At
07/26/19	19:57:35	00:21:12	James Smith	Location	1st floor # 2 stairwell	Lat:34.81817 Lon:-82.31976

